



Govt. of West Bengal
Office of the Chief Medical Officer of Health
Bankura

PATPUR ROAD, TAMLIBANDH, BANKURA-722101
E-mail: dtowbbkr@rmtcp.org

Memo No.DTC/2021/249

Date:- 31/08/2021

CORRIGENDUM

In continuation of Memo No. DTC/2021/234 & DTC/2021/235 Dated : 19/08/2021 of this office the revised rate of **X-Ray Plate with Report** will be as follows :

1. **Conventional X-Ray is Rs.110/-**
2. **Digital X-ray is Rs.150/-**

Last Date of submission of application of EOI from Diagnostics & X-Ray facility is **07/09/2021**. All others are remain unchanged.

Bacas
31/08/21
District TB Officer
Bankura

[Signature]
31.8.2021
Chief Medical Officer of Health
Bankura.

Memo No. DTC/2021/249/1(17)

Date:- 31/08/2021

Copy forwarded for information and necessary action to:-

- 1.The Director of Health Services, Govt. of west Bengal.
- 2.The Secretary (PHP) and the Mission Director,NHM,Govt. of west Bengal.
- 3.The Sabhadhipati ,Bankura Zilla Parishad .
- 4.The District Magistrate ,Bankura.
- 5.) The Jt DHS(TB) & SPO (NTEP), Swasthya Bhavan, Salt Lake .
- 6.The Director, STDC, Govt. of West Bengal.
- 7.The Asst.DHS(TB) and the OSD, Govt. of West Bengal.
- 8.The OC Health, Bankura.
- 9.The Dy.CMOH(I/II/III) /DMCHO /ZLO /DPHNO ,Bankura.
10. The Account Officer, CMOH Office Bankura.
11. The BMOHs (**Hirbandh,Ranibandh,Simlapal,Taldangra,Sarenga,KhatraBarjora,Saltora,& Kanchanpur**),Bankura with a request to arrange needful for displaying in notice Board of your Office and also to inform all concerned.
- 12.The State Programme Manager, State TB Cell , Swasthya Bhavan.
- 13.The State PPM Coordinators, State TB Cell ,Swasthya Bhavan.
- 14.The WHO Consultant (NTEP), Bankura with a requested to all concerned.
15. The District Information officer ,Bankura with a request to upload the Expression of interest in the official website of Bankura District.
- 16.The IT Coordinator, IT Cell, Swasthya Bhavan with a request to upload the Expression of Interest in the website.
- 17.Office copy.

Bacas
31/08/21
District TB Officer
Bankura.